

TIC3612SA-F7-4F6AC-I1 / UNV Thermal & Optical Turret Camera

Thermal cameras detect infrared radiation from wavelength 8µm to 14µm, and convert it into a thermo graphic images using differences in heat, making it visible regardless of lighting conditions. Thermal camera is widely used in applications such as perimeter security and over-heating detection.

- 1280×960, 25 fps thermal; 4MP, 25 fps optical
- Optical: color 0.03 lx, m/v 0.002 lx, 0 lx IR LED
- Optical: fixed 6mm lens, IR, approx 50m, 120dB WDR
- Thermal: fixed lens 7 mm, angle of view 57° × 42°
- Visual alarm with blue and red lights, audio alarm, audio and I/O
- 12 VDC, PoE, IP67, -40 °C to 70 °C



Camera type	Thermal camera
Technology	IP
Outdoor installation	Yes
SKU	7045156
Product series	Thermal camera

Technical data

Lens type	Fixed
IR range	N/A
Analog output	No
Ingress protection (IP)	IP67
Impact protection (IK)	N/A
Net weight (kg)	0.73

We withhold the right to make changes

Hedengren Security Oy Ab
www.hedengren.com
tel. +358 (0) 207 638 001
security@hedengren.fi
PP.KK.VVV