



A problem has occurred

2026-05-31 12:41:14

Error message:

This license has expired on 2026-05-30.

License Information:

License serial no:	3916
Licensee:	Adeona Oy
Product:	PDFReactor Library
Version:	12.0
License Type:	CPU
Amount:	12 Thread(s)
Maintenance Exp. Date:	2026-05-30
Expiration Date:	2026-05-30
Purchase Date:	2015-11-18
Conditions:	[This license is for use on development systems only. It may not be used on staging or productive systems of any kind.]
Sign Date:	2025-06-02 15:11

NEPTO-3K/SWE/NO / Nödbelysningscentral, för nätverksanslutning

Neptolux 3K är en nödbelysningscentral för armaturer i Neptolux serien. Centralen förser armaturerna med driftspänning och utför automatisk testning av systemets funktioner enligt SS-EN 1838, 50172. Centralen har en utgående lågspänningsutgång (1 ledarpar) för övervakning av upp till 127 st armaturer. Som tillval kan en extra utgång anslutas för ytterligare 127 st adresser. I större anläggningar kopplas flera centraler samman med CAT6- kablage i ett ringnät och bildar ett gemensamt system med upp till 3048 adresser. Systemet som helhet kan övervakas lokalt via gemensam manöverpanel eller på distans med hjälp av HedGraphics larmgrafik på PC. Larmingångar från brandlarm och inbrottslarm finns för att kunna tända/släcka nödbelysningen beroende på situation och behov. Exempelvis för att styra kryssfunktionen på armaturerna vid låsta eller av rök spärrade utrymningsvägar. Centralen kan också övervaka gruppcentraler för belysning för att säkerställa upptändning vid lokala spänningsavbrott. Ingångar för detta finns direkt på centralkort och/eller via ingångsenheter placerade på armaturlinjen.

- Centralenheter ansluts via Hedring.net kort (beställs separat)
- Upp till 3048 armaturadresser per system (med 12 st lokala centralenheter)
- Ingång för brandlarm och fasvakter direkt på centralkort eller via moduler på armaturslinga
- Identifiering av anslutna armaturer
- Automatiska testrutiner
- ModBus-interface som tillval
- Centralen använder 2st 12V / 7Ah batterier (beställs separat)
- Nepto-Loop linjekort för ytterligare 127 adresser (beställs separat)

ERP nummer	8005037
Produktserie	Neptolux



Teknisk data

Akkumulatortyp	2 x 7Ah
Antal slingor	1
Antal centraler i nätverk	12
Batterikapacitet (Ah)	7
Antal adresser	127 + 127 som tillval, upp till 3048 vid sammankoppling av centraler
Anslutningar	Hedring.net används för sammankoppling av centralapparater
Bredd (mm)	385
Höjd (mm)	585
Längd (Djup) (mm)	102
Nettovikt (kg)	10.5

Vi förbehåller oss rätten att göra ändringar

Hedengren Sverige AB
www.hedengren.com/se
 Telefon:+46 (0)823 16 00
info@hedengrensecurity.se
 PP.KK.VVV



REALOBJECTS

PDFReactor®

Evaluation Version

This PDF document was created by an evaluation version of RealObjects PDFReactor 12.1.0 (17110). The evaluation version is fully functional, but includes this information page. It must not be used for production purposes. The information page and all other evaluation notices must not be removed from the PDF file.

NOTE: Conversions in evaluation mode might be slower and the results might have a larger file size than in production mode.

Buy PDFReactor

To buy a PDFReactor license follow this link:

[Buy PDFReactor online](#)

About PDFReactor

RealObjects PDFReactor is a powerful formatting processor for converting HTML and XML documents into PDF. It uses Cascading Style Sheets (CSS) to define page layout and styles. The server-side tool enables a great variety of applications in the fields of ERP, eCommerce and Electronic Publishing.

PDFReactor supports HTML5, CSS3 and JavaScript.

It allows you to dynamically generate PDF documents such as invoices, delivery notes and shipping documents on-the-fly. PDFReactor allows you to easily add server-based PDF generation functionality to your application or service. Since PDFReactor runs on a server, the end-user in general does not need any software other than a PDF viewer.

For more information visit www.pdfreactor.com



Vi förbehåller oss rätten att göra ändringar

Hedengren Sverige AB
www.hedengren.com/se
Telefon:+46 (0)823 16 00
info@hedengrensecurity.se
PP.KK.VVV